

CARLISLE

branded tires are now

CARLSTAR



LAWN GARDEN & GOLF

TIRE CATALOG



 **TTAN**



LAWN, GARDEN & GOLF OUTDOOR POWER EQUIPMENT

A wide selection of turf proven, purpose-designed tread offerings coupled with application-based, puncture resistant compounding has made Carlisle a leading source for outdoor power equipment turf specialty tires. These tires from 2023 are getting a new brand name after their original manufacturing company: CARLSTAR.

TREAD VIEW QUICK REFERENCE GUIDE

FEATURED PRODUCT:

VERSA TURF

Versa Turf is the turf friendly radial tire with the traction of an ag tire. The Versa Turf reduces turf disturbance while maximizing traction with its 60% deeper tread depth compared to a standard R3 tire design.



AT 101 CHEVRON

Riding Mowers, Garden Tractors, Snow Throwers, Tillers, ATV's & Utility Vehicles

The AT101 Chevron is a specialty lug design with bars that taper in the shoulder area. This feature, along with muted lug depth, allows it to be used as a drive tire on zero turn mowers when extra traction is needed.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
599044	21x11.00-8 NHS (280/60-8 IMP)	4	92/A4	YES	533	274	630	20	1.5	7.8	US	5999110802350
5E9050	270/50-10	4	92/A4	YES	528	265	630	20	1.5	7.1	US	5999110800141
560352	24x12.00-12 IMP NHS (300/50-12)	4	99/A4	YES	610	304	775	20	1.4	10.1	US	5999110824536

CLASSIC RB

Golf Carts & Utility Vehicles

Classic RB is a high load capacity tire with a broad footprint for maximum turf protection.



Item Number	Size	Star/PR	LI/SI	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5832D8	18x9.50-8 NHS	10	100/A3	447	221	800	15	4.2	6.6	US	5999110803081

LINKS

Golf Carts & Utility Vehicles

Links is the premier tire for the golf cart market. Links features a wide footprint, strong sidewall and long wear rubber compound providing unmatched stability and durability.



Item Number	Size	Star/PR	LI/SI	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5192711	18x8.50-8 NHS	4	74/A3	443	218	375	15	1.5	5.3	CN	5999110801070
5192731	18x8.50-8 NHS	6	82A3	439	219	475	15	2.4	5.6	CN	5999110801087

FAST TRAX

Consumer, Commercial Turf Equipment, Golf Carts & Utility Vehicles

Fast Trax is a moderately aggressive, low profile drive tire with a wide flat profile. The tire is typically used on professional riding mowers where excellent hillside traction is desired.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
501043	18x11.00B10 NHS (280/35B10 IMP)	4	84/A4	YES	451	246	500	20	1.5	5.9	US	5999110802367

RELIANCE

Commercial Mowers, Hand Trucks, Pressure Washers, Generators, Paint Sprayers, Carts, Waste Disposal & Other Material Handling Applications Both Indoors & Out

Flat-Proof design decreases downtime and increases productivity. Commercial durability and capacity. Cushioned Ride.



Smooth Sawtooth Rib

Item Number	Size	Tread Type	LI/SI	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Weight (kg)	CoO	EAN
5410161	13x6.50-6 NHS	RIB		327	135	209	15	5.3	CN	5999110802978
5410191	15x6.00-6 NHS	RIB	61/A2	361	147	259	15	6.2	CN	5999110802985
5410021	4.10-4 NHS	SAWTOOTH		262	84	159	15	2.5	CN	5999110802992
5410111	8x3.00-4 NHS	SMOOTH		209	76	55	15	1.3	CN	5999110801292
5410011	9x3.50-4 NHS	SMOOTH		229	81	118	15	1.9	US	5999110801162
632401	11x4.00-5 NHS	SMOOTH		279	106	147	15	2.8	US	5999110802947
5410061	11x4.00-5 NHS	SMOOTH		279	106	147	15	3.1	CN	5999110802954
5410031	13x5.00-6 NHS	SMOOTH	52/A3	315	119	200	15	4.4	CN	5999110802961
5410041	13x6.50-6 NHS	SMOOTH		321	147	209	15	5.5	CN	5999110835310
481841	15x6.00-6 NHS	SMOOTH		361	147	259	15	8.3	US	5999110802749

FAIRWAY PRO

Golf Carts & Utility Vehicles

Fairway Pro is an excellent value providing long hours of dependable performance on the course. One year warranty.



Item Number	Size	Star/PR	LI/SI	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5189761	18x8.50-8 NHS	4	74/A3	461	214	375	15	1.5	5.2	CN	5999110801063

MULTI TRAC C/S

Consumer, Commercial Turf Equipment, Golf Carts & Utility Vehicles

Our Multi-Trac CIS line is the choice for professional users requiring the highest performance and dependability from their equipment. These commercial grade tires feature our most durable tread compound with deep tread elements in a profile optimized for stability and traction.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5743451	15x6.00-6 NHS	2	45/A3		371	151	165	15	1.0	2.4	CN	5999110801124
5E4304	160/60-8 IMP	4	64/A4	YES	394	161	280	20	1.9	3.3	US	5999110828060
574351	18x7.00-8 NHS	4	72/A4	YES	457	178	355	20	1.8	4.1	US	5999110802770
5743311	18x8.50-8 IMP NHS (220/60-8)	4	74/A4	YES	455	210	375	20	1.5	4.9	CN	5999110801100
574365	18x8.50-8 NHS (220/60-8 IMP)	8	89/A4	YES	447	211	580	20	3.0	6.5	US	5999110802800
574332	18x9.50-8 IMP NHS (240/55-8)	4	81/A4	YES	457	231	462	20	1.7	5.2	US	5999110802817
574399	18x9.50-8 IMP NHS (240/55-8)	6	89/A4	YES	462	218	587	20	2.5	5.6	US	5999110802824
6L03221	20x8.00-8 NHS	2	63/A3		486	227	272	15	0.7	4.7	CN	5999110801131
5743701	20x10.00-8 NHS	2	71/A3		480	243	345	15	0.7	5.2	CN	5999110801117
574341	20x10.00-8 NHS	4	87/A3		498	239	545	15	1.5	5.9	US	5999110802831
5E43E51	260/40-10 IMP	4	80/A4	YES	455	258	450	20	1.4	6.4	CN	5999110827742
5E43C2	245/50-10 NHS	6	93/A4	YES	498	236	650	20	2.2	7.7	US	5999110800028
574311	18x8.00-10 NHS (200/50-10 IMP)	4	72/A4	YES	457	198	355	20	1.5	4.5	US	5999110802787
5743U11	18x8.50-10 NHS (215/50-10)	4	74/A4	YES	457	206	375	20	1.5	5.1	CN	5999110800035
6L0174	18x8.50-10 NHS	6	82/A3		462	206	475	15	2.2	5.0	US	5999110802794
574362	20x10.00-10 IMP NHS (250/50-10)	4	86/A4	YES	494	241	530	20	1.5	6.6	US	5999110801179
6E4301	215/60-12NHS	4	84/A4	YES	563	216	500	20	1.5	7.2	US	5999110800240
6E43611	280/60-12 NHS	4	100/A4	YES	645	290	800	20	1.4	11.6	CN	5999110800011
5E4372	215/60-12 IMP	6	93/A4	YES	556	211	650	20	2.4	8.4	US	5999110824499
5E4353	260/50-12 IMP	6	100/A4	YES	571	259	800	20	2.2	10.3	US	5999110828077
574329	23x9.50-12 IMP NHS (240/60-12)	4	88/A4	YES	589	229	560	20	1.4	7.4	US	5999110824505
574367	23x10.50-12 IMP NHS (270/50-12)	4	90/A4	YES	579	261	600	20	1.4	8.1	US	5999110824512
574338	24x9.50-12 NHS (240/65-12 IMP)	4	93/A4	YES	610	241	650	20	1.5	7.8	US	5999110824727
574352	24x12.00-12 NHS	4	99/A3		595	276	775	15	1.4	10.4	US	5999110824390
574368	25x9.00-12 NHS (230/70-12 IMP)	4	95/A4	YES	634	242	690	20	1.7	8.0	US	5999110802916
574369	25x11.00-12 IMP (280/60-12)	4	101/A4	YES	640	275	825	20	1.7	10.0	US	5999110824550
6L04091	26x9.50-12 NHS	4	95/A3		648	235	690	15	1.4	9.4	US	5999110801148
5743T6	26x10.50-12 NHS	2	84/A3		627	259	500	15	0.7	8.7	US	5999110824970
5743771	26x12.00B12 NHS (305/60B12)	6	109/A4	YES	650	292	1030	20	2.1	12.1	CN	5999110800042
5743W7	26x14.00-12 NHS	4	106/A3		648	356	962	15	1.3	14.3	US	5999110824857
5E4371	215/65-14	6	98/A4	YES	633	218	750	20	2.2	10.8	US	5999110800127
574324	24x8.50-14 NHS (215/60-14)	4	88/A4	YES	605	212	560	20	1.5	8.0	US	5999110800134
574339	25x8.50-14 NHS (215/65-14)	4	90/A4	YES	635	218	600	20	1.5	9.4	US	5999110800158
6E0371	280/55-15 NHS	8	102/B	YES	693	285	850	50	4.2	14.6	US	5999110800165
5E43H6	265/55-15 NHS	4	90/B	YES	676	259	600	50	2.1	13.7	US	5999110824338
574348	27x8.50-15 NHS	4	88/B		676	216	560	50	2.1	11.9	US	5999110824437
574356	27x8.50-15 NHS (215/70-15)	6	96/B	YES	676	218	710	50	3.1	11.8	US	5999110824192
6L0214	29x12.50-15 NHS	4	90B	YES	749	318	600	50	1.4	14.6	US	5999110802930
560478	29x12.50-15 NHS (320/55-15)	10	112/B	YES	737	318	1120	50	4.2	18.0	US	5999110800172
560362	31x13.50-15 NHS (345/60-15 NHS)	4	107/A4	YES	800	343	975	20	1.4	20.9	US	5999110800110
6A1371	31x13.50-15 NHS (345/60-15 NHS)	8	123/A4	YES	790	340	1550	20	3.1	24.0	US	5999110830896

VERSA TURF

Garden Tractors, ATV & Utility Vehicles

Versa Turf is the turf friendly radial tire with the traction of an ag tire. Designed with a radial construction for improved flotation, the Versa Turf reduces turf disturbance while maximizing traction with its 60% deeper tread depth compared to a standard R3 tire design. Engineered with superior mud-shedding performance by featuring self-cleaning breaker bars in the tread and rounded shoulders.



Item Number	Size	Star/PR	LI/SI	ECE	Overall Diameter (mm)	Section Width (mm)	Max Load (kg)	Rated speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
6L09621	18x8.50R10 NHS (215/50R10)	4	74/A4	YES	474	188	375	20	1.5	5.7	CN	5999110834917
6L13551	23x8.50R12 NHS (220/65R12)	6	101A2	YES	574	213	825	10	3.5	9.3	CN	5999110834559
6L13941	24x12.00R12 NHS (300/50R12)	4	99A4	YES	607	292	775	20	1.4	12.1	CN	5999110834658
6L0915	26x12.00R12 NHS (305/60R12)	4	100/A4	YES	655	290	800	20	1.4	14.8	US	5999110834924
6L13541	12R16.5 NHS (305/70R16.5)	6	130A2	YES	828	309	1900	10	2.8	27.2	CN	5999110833170

INDUSTRIAL TRAX

Hard Surface Utility Vehicle

Designed for hard surface utility vehicle applications such as concession vehicles for golf courses.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
599581	20x10.00-10 NHS	4	86/A3		508	254	530	15	1.5	6.2	US	5999110802268
599045	23x10.50-12 NHS (270/50-12 IMP)	4	90/A4	YES	572	264	608	20	1.4	9.9	US	5999110802374
599047	23x10.50-12 NHS	6	100/A3		579	264	800	15	2.2	11.3	US	5999110825588
560445	25x8.50-12 NHS	6	98/A3		630	216	750	15	2.1	8.6	US	5999110825878
560446	25x10.50-12 NHS	6	104/A3		639	262	900	15	2.1	13.2	US	5999110825731

TURF GLIDE

Golf Carts & Utility Vehicles

One of the original golf cart tires, the Turf Glide has a tall sidewall to absorb impact and a turf friendly round contour profile.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5E8040	215/70-6 IMP	4	49/A4	YES	448	181	185	20	1.4	3.6	US	5999110828121

SAWTOOTH

Utility Carts, Wheelbarrows, Pressure Washers, Generators, Hand Trucks, Lawn Equipment & Fun Carts

Sawtooth tires are used for small industrial product applications. Hand trucks, industrial carts and pressure washers are examples of equipment that utilize these tires. The Sawtooth tread design offers smooth rolling performance.



Item Number	Size	Star/PR	LI/SI	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5190011	2.80-4 NHS	4	21/A3	229	74	83	15	3.5	0.7	CN	5999110801186
5190251	4.10-4 NHS	2	29/A3	268	90	103	15	1.7	1.1	CN	5999110801193
5190261	4.10-4 NHS	4	44/A3	269	94	160	15	3.5	1.2	CN	5999110801261
5190361	4.10/3.50-6 NHS	4	56/A3	333	108	224	15	5.9	1.8	CN	5999110801209
519067	5.30/4.50-6 NHS	6	76/A3	371	136	400	15	6.6	2.5	US	5999110824963
5190501	4.80/4.00-8 NHS	2	57/A3	406	116	230	15	2.4	2.2	CN	5999110801216

SMOOTH

Transport Vehicles, Riding Mowers, Garden Tractors, Farm Equipment & Wheelbarrows

Commonly used on front swivel casters for professional ZTR mowers, the Smooth tire has tapered edges to facilitate easy swivel action without turf damage. The Smooth tire contains specially formulated rubber compounds for professional grade durability.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5E20101	100/60-4 IMP	4	34/A4	YES	226	94	118	20	3.5	1.1	CN	5999110830858
5120081	8x3.00-4 NHS (75/70-4 IMP)	4	7/A4	YES	209	74	55	20	2.1	0.7	CN	5999110801308
5E20111	11x4.00-5 IMP NHS (100/75-5)	4	42/A4	YES	285	104	150	20	3.2	1.3	CN	5999110827759
5100521	11x6.00-5 NHS	4	53/A3		292	119	206	15	2.9	2.0	CN	5999110801230
5E21861	145/60-6 IMP	4	55/A4	YES	328	151	218	20	1.9	2.3	CN	5999110827773
5E20211	13x5.00-6 IMP NHS (130/70-6)	4	52/A4	YES	323	122	200	20	2.8	1.9	CN	5999110827766
5E09811	240/50-8 IMP	4	81/A4	YES	452	236	462	20	1.7	5.0	CN	5999110827780
5120511	4.80-8 NHS	4	71/A3		427	122	345	15	4.8	1.9	CN	5999110801278
5120521	4.80-8 NHS	6	71/A3		422	122	345	15	4.8	2.6	CN	5999110801285
5E6325	240/50-10 IMP	2	73/A4	YES	495	248	365	20	0.8	5.8	US	5999110829876
5E6310	18x10.50-10 NHS (250/40-10 IMP)	2	70/A4	YES	460	248	335	20	0.8	5.6	US	5999110828015
6L0149	18x10.50-10 NHS	4	84/A3		467	235	500	15	1.7	6.0	US	5999110803005
510710	24x13.00-12 NHS (320/45-12)	4	99/A4	YES	602	333	775	20	1.3	13.1	US	5999110824581

SNOW HOG

Riding Mowers, Garden Tractors, Snow Throwers, Tillers, ATV's & Utility Vehicles

With its distinctive „X“ shaped tread elements, Snow Hog stands out from the crowd. It is primarily used on snow throwers but can be considered whenever superior traction is needed.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5170041	4.10-4 NHS	2	29/A3		278	94	103	15	1.7	1.3	CN	5999110803043
5170051	4.10-6 IMP NHS (100/80-6)	2	38/A4	YES	324	101	132	20	1.7	1.5	CN	5999110803050
5170081	15x5.00-6 NHS	2	49/A3		376	128	185	15	1.4	2.2	CN	5999110803012
5E70011	120/85-8 IMP	2	52/A4	YES	412	119	200	20	1.4	2.5	CN	5999110830841
5E70101	165/70-8 IMP	4	71/A3	YES	437	168	345	20	1.9	3.5	CN	5999110830834
5170021	16x6.50-8 IMP NHS (170/60-8)	2	49/A4	YES	415	157	185	20	1.0	2.8	CN	5999110803029

STRAIGHT RIB

Transport Vehicles, Riding Mowers, Garden Tractors, Farm Equipment & Wheelbarrows

The Straight Rib tire is designed with tread grooves to channel moisture away from the contact patch and provides a slight lateral traction which can be helpful when traversing mild inclines.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5E10921	105/75-4 IMP	4	42/A4	YES	264	104	150	20	3.2	1.5	CN	5999110830872
5180111	11x4.00-5 NHS	4	42/A3		281	107	150	15	3.2	1.5	CN	5999110801339
5E81861	165/65-6 IMP	4	55/A4	YES	329	151	218	20	1.9	2.3	CN	5999110827797
5180211	13x5.00-6 NHS	4	52/A3		325	119	200	15	2.8	1.9	CN	5999110801384
5180311	15x6.00-6 NHS	4	61/A3		367	156	257	15	2.1	2.7	CN	5999110801360
5180961	16x6.50-8 NHS	4	64/A3		406	165	280	15	1.9	3.1	CN	5999110801377
518081	18x9.50-8 NHS	4	81/A3		448	236	462	15	1.7	4.5	US	5999110803074
5E81161	250/50-10 IMP	4	86/A4	YES	508	222	530	20	1.5	6.4	CN	5999110828206
518711	26x12.00-12 NHS	4	100/A3		636	296	800	15	1.4	9.4	US	5999110803098

STUD

Utility Carts, Wheelbarrows, Pressure Washers, Generators, Hand Trucks, Lawn Equipment & Fun Carts

With its aggressive appearance, the Stud tire grips on a multitude of terrains including soft dirt and snow. Commonly used for utility applications, such as hand trucks, power washers and industrial carts.



Item Number	Size	Star/PR	LI/SI	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5160251	4.10-4 NHS	2	29/A3	269	90	103	15	1.7	1.1	CN	5999110801391
5160301	4.10-5 NHS	2	34/A3	295	96	118	15	1.7	1.1	CN	5999110801407
5160351	4.10-6 NHS	2	38/A3	318	100	132	15	1.7	1.2	CN	5999110801452
5160501	4.80-8 NHS	2	52/A3	416	120	200	15	1.4	2.1	CN	5999110801414
5164291	4.80-8 NHS	4	67/A3	413	120	307	15	2.9	2.8	CN	5999110801421

SUPER LUG

Riding Mowers, Garden Tractors, Snow Throwers, Tillers, ATVs & Utility Vehicles

Super Lug tires are most often found on garden tractors, tillers and trenchers. This powerful tire is the right choice whenever the application requires substantial traction.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5100201	13x5.00-6 IMP NHS (130/70-6)	2	38/A4	YES	332	115	132	20	1.4	1.8	CN	5999110801438
5100251	14x4.50-6 IMP NHS (110/90-6)	2	41/A4	YES	368	113	145	20	1.4	1.8	CN	5999110801469
5100961	16x6.50-8 IMP NHS (170/60-8)	4	64/A4	YES	420	160	280	20	1.9	3.7	CN	5999110801483
6L16341	16x6.50-8 IMP NHS (170/60-8)	6	73/A4	YES	422	161	365	20	3.0	3.7	CN	5999110834528
5100801	18x9.50-8 IMP NHS (240/55-8)	2	68/A4	YES	462	216	315	20	0.8	6.1	CN	5999110801476
5100811	18x9.50-8 IMP NHS (240/55-8)	4	81/A4	YES	464	217	462	20	1.7	6.4	CN	5999110834535
6L03301	20x10.00-8 NHS	4	87/A4	YES	511	254	545	20	1.5	7.6	CN	5999110800059

POWER TRAC

Riding Mowers, Garden Tractors, Snow Throwers, Tillers, ATVs & Utility Vehicles

Power Trac tires are most often found on garden tractors, tillers and trenchers. This powerful tire is the right choice whenever the application requires substantial traction.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5E09501	110/95-8 IMP	2	52/A4	YES	409	102	200	20	1.4	2.9	CN	5999110830889

TRU POWER

Riding Mowers, Garden Tractors, Snow Throwers, Tillers, ATV's & Utility Vehicles

Tru Power tires are most often found on garden tractors, tillers and trenchers. This powerful line is the right choice whenever the application requires substantial traction.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5233111	18x8.50-10 NHS	4	74/A3		460	198	375	15	1,5	5,2	CN	5999110801551
5E33C3	150/90-12	4	62/A4	YES	578	140	265	20	1,9	5,9	US	5999110800301
523301	23x8.50-12 NHS (215/65-12)	4	84/A4	YES	574	210	500	20	1,5	7,4	US	5999110800233
523367	23x10.50-12 NHS (265/55-12)	4	92/A4	YES	592	254	630	20	1,4	11,5	US	5999110800219
523361	26x12.00-12 NHS	4	100/A3		650	312	800	20	1,4	14,7	US	5999110824642
523360	26x12.00-12 NHS	8	119/A3		650	312	1360	20	2,9	17,4	US	5999110824215
5233D4	29x12.50-15 NHS (320/55-15)	6	98/B	YES	756	302	750	50	2,1	19,5	US	5999110800226
5233A4	31x15.50-15 NHS	8	116/B		798	384	1250	50	3,1	33,3	US	5999110824260

TOUR MAX

Golf Carts & Utility Vehicles

The Tour Max is a low profile, smooth riding tire designed primarily for golf carts and closed community vehicles. The tread pattern, rubber compound, and tire construction provide durability as well as ride comfort on hard surface paths.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
6L02221	18x8.50-8 NHS	4	74/A3		450	213	375	15	1.5	4.5	CN	5999110801513
5191481	18.5x8.50-8 NHS	4 (LRB)	63A3		460	206	272	15	1.5	5.3	CN	5999110801490
5191461	205/50-10	4 (LRB)	67/C	YES	474	192	307	50	2.1	5.4	CN	5999110801506

TURF MATE

Consumer, Commercial Turf Equipment, Golf Carts & Utility Vehicles

Turf Mate tires are gentle on turf while still providing reliable traction on grass. They offer easy steering and won't tear up the surface - even during sharp turns.



Item Number	Size	Star/PR	LI/SI	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5113301	15x6.00-6 NHS	2	45/A3	366	152	165	15	1.0	2.0	CN	5999110801698
5113951	16x6.50-8 NHS	2	49/A3	413	158	185	15	1.0	2.5	CN	5999110801742
511300	20x8.00-8 NHS	2	63/A3	486	224	272	15	0.7	4.3	US	5999110803135
511303	20x10.00-8 NHS	4	87/A3	488	241	545	15	1.5	4.6	US	5999110803128

TURF MASTER

Consumer, Commercial Turf Equipment, Golf Carts & Utility Vehicles

Our Turf Master line is the choice for professional users requiring the highest performance and dependability from their equipment. These commercial grade tires feature our most durable tread compound with deep tread elements in a profile optimized for stability and traction.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5112491	13x6.50-6 NHS	4	55/A3		340	156	218	15	1.9	2.6	CN	5999110801537
5112521	15x6.00-6 IMP NHS (150/75-6)	4	61/A4	YES	366	152	257	20	2.1	2.7	CN	5999110801612
5E14171	165/70-8 IMP	4	71/A4	YES	442	163	345	20	1.9	3.5	CN	5999110827810
6E09091	190/65-8 IMP	4	73/A4	YES	455	184	365	20	1.7	4.3	CN	5999110828190
5E12531	15x6.50-8 NHS (170/55-8 IMP)	2	47/A4	YES	381	156	175	20	1.0	2.8	CN	5999110827803
5114951	16x6.50-8 IMP NHS (170/60-8)	2	49/A4	YES	411	162	185	20	1.0	2.8	CN	5999110803104
5114011	16x6.50-8 NHS	4	64/A3		418	160	280	15	1.9	3.4	CN	5999110801568
5114021	16x7.50-8 IMP (190/55-8 NHS)	4	67/A4	YES	419	178	307	20	1.7	3.9	CN	5999110801575
5114041	18x8.50-8 NHS (215/60-8)	4	74/A4	YES	464	206	375	20	1.5	4.7	CN	5999110800066
5E14131	18x9.50-8 IMP NHS (240/55-8)	4	81/A4	YES	460	234	462	20	1.7	5.3	CN	5999110827827
5114051	20x10.00-8 IMP NHS (250/60-8)	4	87/A4	YES	506	260	545	20	1.5	6.7	CN	5999110801629
5114281	20x8.00-10 IMP NHS (200/65-10)	4	77/A4	YES	512	205	412	20	1.7	6.5	CN	5999110801667
5114151	20x10.00-10 NHS	2	70A3		499	229	335	15	0.7	6.0	CN	5999110801605
5114161	20x10.00-10 NHS (255/50-10)	4	86/A4	YES	508	224	530	20	1.5	6.3	CN	5999110800073
511257	20x12.00-10 NHS	4	90/A3		511	262	600	15	1.4	6.4	US	5999110802510
511256	22x10.00-10 NHS	4	91/A3		561	249	615	15	1.5	7.2	US	5999110802527
5E12551	22x11-10 IMP NHS (280/55-10)	4	94/A3	YES	551	257	670	20	1.5	7.0	CN	5999110827834
5E14331	22x9.50-12 NHS (240/55-12 IMP)	4	89/A4	YES	559	234	592	20	1.7	7.4	CN	5999110827841
5114261	22x10.50-12 NHS	4	0		571	257	587	15	1.4	7.9	US	5999110801643
511419	23x8.50-12 IMP NHS (220/65-12)	4	84/A4	YES	581	213	500	20	1.5	7.1	US	5999110824789
6L08381	23x9.50-12 NHS	4	88/A3		587	249	560	15	1.7	9.5	CN	5999110835501
5114071	23x10.50-12 NHS	2	76A3		565	254	400	15	0.7	7.9	CN	5999110801674
5E14081	23x10.50-12 IMP NHS (270/50-12)	4	92/A4	YES	592	254	630	20	1.4	7.9	CN	5999110827858
6L08371	24x9.50-12 NHS (240/60-12 IMP)	4	94/A4	YES	599	240	670	20	1.7	8.0	CN	5999110828138
5E14091	24x12-12 IMP NHS (300/50-12)	4	99/A4	YES	598	290	775	20	1.4	10.3	CN	5999110827865

TURF SAVER

Consumer, Commercial Turf Equipment, Golf Carts & Utility Vehicles

With its classic square shouldered design, the Turf Saver tire is the market leader for residential riding lawn mowers worldwide. The flat profile and chevron tread provide excellent traction. Its turf-friendly design and breadth of line make it versatile in both application and fitment.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5E10271	125/70-4 IMP	2	27/A4	YES	285	105	98	20	1.5	1.4	CN	5999110827872
5110251	4.10-4 NHS	2	29/A3		276	96	103	15	1.7	1.3	CN	5999110801056
5110111	9x3.50-4 NHS	4	34/A3		223	90	118	15	3.5	0.9	CN	5999110802039
5110101	11x4.00-5 NHS	2	26/A3		276	101	95	15	1.5	1.4	CN	5999110801728
5E11861	170/55-6 IMP	4	55/A4	YES	340	161	218	20	1.9	2.7	CN	5999110827889
5110201	13x5.00-6 IMP NHS (130/70-6)	2	38/A4	YES	326	119	132	20	1.4	1.6	CN	5999110801735
5110211	13x5.00-6 NHS	4	52/A3		330	121	200	15	2.8	2.0	CN	5999110801759
5111851	13x6.50-6 NHS	2	41/A3		337	165	145	15	1.0	2.5	CN	5999110801803
5E10301	15x6.00-6 IMP NHS (150/70-6)	2	45/A4	YES	364	161	165	20	1.0	2.2	CN	5999110827896
6L00821	15x6.00-6 NHS	4	61/A3		371	161	257	15	2.1	2.2	CN	5999110801797
5E10981	160/70-8 IMP	2	58/A4	YES	438	163	236	20	1.0	3.0	CN	5999110827926
5E10841	250/50-8 IMP	2	68/A4	YES	451	241	315	20	0.8	4.8	CN	5999110827940
5E10801	210/70-8 IMP	2	63/A4	YES	487	228	272	20	0.7	4.7	CN	5999110827964
5E11011	255/60-8 IMP	2	71/A4	YES	498	265	345	20	0.7	6.1	CN	5999110827957
5112501	4.80-8 NHS	2	52/A3		419	121	200	15	1.4	2.6	CN	5999110802022
5E10951	16x6.50-8 IMP NHS (170/60-8)	2	46/A4	YES	413	167	170	20	0.8	2.7	CN	5999110827919
5110961	16x6.50-8 NHS	4	64/A3		415	162	280	15	1.9	3.1	CN	5999110801827
5112001	16x7.50-8 IMP NHS	2	55/A4	YES	416	177	218	20	0.8	3.4	CN	5999110801834
5110991	18x6.50-8 NHS	4	71/A3		438	164	345	15	1.9	3.6	CN	5999110801858
5111021	18x7.50-8 NHS	4	73/A3		457	183	365	15	1.7	4.3	CN	5999110801865
5E10701	18x8.50-8 IMP NHS (220/60-8)	2	58/A4	YES	455	208	236	20	0.7	4.1	CN	5999110827933
5110711	18x8.50-8 IMP NHS (220/60-8 IMP)	4	74/A4	YES	463	207	375	20	1.5	4.5	CN	5999110801896
6L05011	18x9.50-8 NHS	4	78/A3		455	239	425	15	1.4	5.1	CN	5999110801919
511082	18x9.50-8 NHS	6	89/A3		469	242	587	15	2.5	5.2	US	5999110824659
6L05021	20x8.00-8 NHS	4	79/A3		492	224	437	15	1.5	5.0	CN	5999110801971
5111041	20x10.00-8 NHS	4	87/A3		500	261	545	15	1.5	6.6	CN	5999110801940
5111111	20x8.00-10 IMP NHS (200/65-10)	4	77/A4	YES	508	201	412	20	1.7	5.6	CN	5999110802015
5111161	20x10.00-10 NHS	4	88/A3		511	224	560	15	1.7	6.4	CN	5999110801926
511140	21x7.00-10 NHS	2	65/A3		512	174	290	15	0.8	4.8	US	5999110802572
5E10511	230/50-12 IMP	2	72/A4	YES	542	225	355	20	0.8	6.7	CN	5999110827971
5E1075	305/45-12 IMP	2	85/A4	YES	584	293	515	20	0.7	8.7	US	5999110828107
511090	23x8.50-12 NHS	2	69/A3		586	215	325	15	0.7	6.1	US	5999110825007
6L0510	23x8.50-12 NHS	4	84/A3		584	217	500	15	1.5	7.0	US	5999110824819
511100	23x9.50-12 NHS	2	77/A3		590	238	412	15	0.8	6.5	US	5999110825052
6L03381	23x10.50-12 IMP NHS (265/50-12)	2	76/A4	YES	578	263	400	20	0.7	7.8	CN	5999110801995
6L05031	23x10.50-12 NHS	4	90/A3		582	260	600	15	1.4	8.2	CN	5999110802008
6L0511	24x12.00-12 NHS	4	99/A3		599	292	775	15	1.4	9.9	US	5999110824864

TURF SAVER II

Consumer, Commercial Turf Equipment, Golf Carts & Utility Vehicles

The Turf Saver II is a modified version of the Turf Saver. It features a round shoulder profile and is designed for use on residential riding lawn mowers. It is also commonly used for towable lawn carts, spreaders, sprayers and other mower attachments.



Item Number	Size	Star/PR	LI/SI	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5112201	13x5.00-6 NHS	2	38/A3	316	115	132	15	1.4	1.5	CN	5999110802046
5112301	15x6.00-6 NHS	2	45/A3	362	151	165	15	1.0	1.9	CN	5999110802053
5112951	16x6.50-8 NHS	2	49/A3	409	157	185	15	1.0	2.4	CN	5999110802060
5112701	18x8.50-8 NHS	2	58/A3	446	209	236	15	0.7	3.4	CN	5999110802077
511284	18x9.50-8 NHS	2	68/A3	452	231	315	15	0.8	3.0	US	5999110802626
5112801	20x8.00-8 NHS	2	63/A3	485	225	272	15	0.7	4.0	CN	5999110802084

TURF SAVER PLUS

Consumer, Commercial Turf Equipment, Golf Carts & Utility Vehicles

The Turf Saver Plus is a modified version of Turf Saver with increased outer size of the tire to be better adapted to the modern vehicle construction.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5E10771	170/65-6 IMP	2	45/A4	YES	381	165	165	20	1,0	2,4	CN	5999110827902
5110731	18x6.50-8 NHS	2	50A3		442	180	190	15	0,7	3,7	CN	5999110801957
5110761	18x8.50-8 IMP NHS (220/60-8)	2	58/A4	YES	470	208	236	20	0,7	4,2	CN	5999110801889

TURF CTR

Consumer, Commercial Turf Equipment, Golf Carts & Utility Vehicles

Turf CTR is a round shouldered low impact tire, usually seen on professional ZTR mowers when treading lightly is critical.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
511501	22x11.00-8 IMP NHS (280/65-8)	4	78/A4	YES	569	274	425	20	0.7	6.5	US	5999110802497

TURF TRAC R/S

Consumer, Commercial Turf Equipment, Golf Carts & Utility Vehicles

Turf Trac RIS offers all-around performance with a balanced profile and ample tread depth. Applications range from residential zero turn mowers to utility vehicles. The variety of sizes available corresponds to the many possible uses.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5E53331	11x4.00-5 IMP NHS (100/70-5)	2	26/A4	YES	270	101	95	20	1.5	1.2	CN	5999110827988
5753191	15x6.00-6 IMP NHS (150/70-6)	4	61/A4	YES	366	160	257	20	2.1	2.7	CN	5999110802152
5E53411	250/60-8 IMP	4	87/A4	YES	500	246	545	20	1.5	5.2	CN	5999110828176
5E53B71	265/70-8 IMP	4	92/A4	YES	574	267	630	20	1.5	8.5	CN	5999110827995
6L02651	16x6.50-8 NHS	4	64/A3		406	168	280	15	1.9	2.9	CN	5999110802169
5753311	18x8.50-8 IMP NHS (220/60-8)	4	74/A4	YES	450	206	375	20	1.5	4.5	CN	5999110802176
50D3T7	25x12.00B9 IMP NHS (300/65B9)	4	101/A4	YES	653	310	825	20	1.4	8.8	US	5999110802718
5ED362	245/50-10 IMP	4	86/A4	YES	497	238	530	20	1.5	5.7	US	5999110828022
5753151	20x12.00-10 NHS (305/40-10 NHS)	4	90/A4	YES	503	257	600	20	1.4	7.2	CN	5999110800103
5753N11	22x9.50-10 NHS (240/60-10 IMP)	4	79/A4	YES	551	241	437	20	1.0	7.1	CN	5999110802206
5E53P2	24x9.50-10 NHS (240/75-10 NHS)	4	93/A4	YES	617	249	650	20	1.5	7.4	US	5999110800288
5753A61	24x12.00-10 NHS (305/60-10)	4	99/A4	YES	619	302	775	20	1.4	10.4	CN	5999110834542
5E53671	260/50-12 IMP	4	90/A4	YES	574	259	600	20	1.4	6.4	CN	5999110802213
5E5390	290/50-12 IMP	6	109/A4	YES	587	285	1030	20	2.2	9.6	US	5999110828039
5ED363	305/55-12 NHS	10	122/A4	YES	643	315	1500	20	3.6	11.8	US	5999110824321

ULTRA TRAC

Consumer, Commercial Turf Equipment, Golf Cars & Utility Vehicles

Ultra Trac is the right approach for those specialized applications where high flotation is essential. Ultra Tracs are wide with a flat footprint and reduced void in the tread. These features yield low ground pressure and good traction while preserving the turf. Ultra Trac tires are most often utilized on golf and grounds maintenance equipment.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5E9368	330/40B12 IMP	4	100/A4	YES	579	328	800	20	1.3	12.1	US	5999110828053
529386	26.5x14.00-12 NHS (360/50-12 IMP)	4	107/A4	YES	673	366	975	20	1.3	15.1	US	5999110824284
529387	24x13.00B12 IMP NHS (320/45B12 IMP)	6	109/A4	YES	593	327	1030	20	1.9	12.7	US	5999110824208
5293E6	29x14.00-15 NHS (360/50-15 IMP)	6	99/B	YES	726	366	775	50	2.1	21.5	US	5999110800493
5293T1	29x14.00-15 NHS (360/50-15 IMP)	12	117/B	YES	737	366	1285	50	5.2	28.2	US	5999110824529

TURF SMART

Consumer, Commercial Turf Equipment, Golf Carts & Utility Vehicles

Turf Smart provides supreme traction, turf protection and durability for all of your ground care needs. Traction is enhanced through an innovative tread design featuring a self-cleaning Groove Ejection System which helps to keep the tread pattern fully engaged with the turf. This provides consistent performance required by ground care professionals. Used primarily on ZTRs, riding mowers and other grounds care equipment.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
6L01801	18x8.50-8 NHS (215/60-8)	4	74/A4	YES	465	213	375	20	1.5	4.3	CN	5999110800080
6L01771	20x10.00-8 NHS	4	87/A3		508	252	545	15	1.5	5.6	CN	5999110802107
6L01791	18x8.50-10 NHS	4	74/A3		457	203	375	15	1.5	4.9	CN	5999110802091
6L01781	20x8.00-10 NHS	4	77/A3		503	198	412	15	1.7	5.0	CN	5999110802114
6L01761	20x10.00-10 NHS (255/50-10)	4	86/A4	YES	503	252	530	20	1.5	5.9	CN	5999110800097
6L01751	22x11.00-10 NHS	4	94/A3		556	264	670	15	1.5	8.5	CN	5999110802121
6L0162	22x9.50-12 NHS	4	86/A3		549	229	530	15	1.4	6.8	US	5999110802633
6L0161	23x9.50-12 NHS	4	88/A3		582	234	560	15	1.4	7.4	US	5999110824895
6L0160	23x10.50-12 NHS	4	90/A3		579	267	600	15	1.4	7.8	US	5999110824840
6L0159	24x9.50-12 NHS	4	91/A3		599	239	615	15	1.4	7.7	US	5999110824901
6L0055	24x12.00-12 NHS	4	99/A3		594	290	775	15	1.4	9.8	US	5999110824772
6L0220	26x12.00-12 NHS	4	100/A3		655	309	800	15	1.4	11.6	US	5999110802688

XTRAC

Snow throwers, Riding Mowers, Garden Tractors

Excellent for snow throwing equipment and other applications requiring aggressive traction. Features angled center lugs for maximum bite with squared prominent edge lugs for traction across the entire face of the tire.



Item Number	Size	Star/PR	LI/SI	ECE	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5E70151	13x4.00-6 NHS (100/85-6 IMP)	2	37/A4	YES	325	102	128	20	1.5	1.6	CN	5999110828114
5170161	13x5.00-6 NHS	2	38/A3		328	119	132	15	1.4	2.1	CN	5999110803159
5170171	15x5.00-6 NHS	2	48/A3		372	129	180	15	1.4	2.4	CN	5999110803166
5170111	4.80-8 NHS	2	52/A3		420	119	200	15	1.4	2.6	CN	5999110803180
5170181	16x6.50-8 NHS	2	49/A3		417	152	185	15	1.0	3.2	CN	5999110803173

WHEELBARROW

Transport Vehicles, Riding Mowers, Garden Tractors, Farm Equipment & Wheelbarrows

Whatever the load or task our Wheelbarrow Rib tires are up to the challenge. Lawn carts, spreaders, and wheelbarrows are the most common applications for these tires.



Item Number	Size	Star/PR	LI/SI	Mounted Diameter (mm)	Mounted Width (mm)	Max Load (kg)	Rated Speed (km/h)	Inflation Pressure (bar)	Weight (kg)	CoO	EAN
5134371	4.00-6 NHS	2	42/A3	347	101	150	15	2.1	1.1	CN	5999110802220
5134511	4.80-8 NHS	2	60/A3	402	97	250	15	2.1	1.3	CN	5999110802237
5130511	4.80-8 NHS	4	71/A3	418	117	345	15	4.8	1.9	CN	5999110802244

VERSA TURF



The Versa Turf tire is the perfect blend of R1 traction with R3 turf protection. Turf friendly, with the traction of an Ag tire.

Features and Benefits

- Radial construction provides improved flotation for better traction and minimizes turf disturbance.
- Directional tread pattern and engineered breaker bars for improved self-cleaning performance.
- Deep tread design for optimal performance in all soil and turf conditions.
- This tire is designed with a greater than 60% deeper tread depth than your standard R3 tire designs.
- Rounded shoulders to minimize turf damage during turns.

CARLISLE branded tires are now **CARLSTAR**

MORE FROM THE CARLSTAR BRAND:

AGRICULTURE



CONSTRUCTION / INDUSTRIAL



POWERSPORT



TRAILERS AND TOWABLES



CARLISLE®

branded tires are now

CARLSTAR™



The content and information in the Catalogue is provided as information to the interested persons and may be used for informational purposes only. Information on products may pertain to limited geographic areas and markets. A reference to a product in the Catalogue does not imply that such product is, remains or will be available in the reader's location. None of the content and information in the Catalogue may be deemed to constitute an offer by Titan Distribution Europe Kft. Titan Distribution Europe Kft makes every effort to maintain the accuracy and quality of the information provided in the Catalogue. However, Titan Distribution Europe Kft. cannot guarantee and assumes no legal liability or responsibility for the accuracy or completeness of the information provided in the Catalogue. Titan Distribution Europe Kft. assumes no legal liability or responsibility for printing errors. It is the reader who assumes the risk that the information in the Catalogue may be incomplete, inaccurate, out of date or it may not meet the reader's needs and requirements.

www.carlstartires.eu